Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	"5930246" and bits	US-PGPUB; USPAT	OR	OFF	2007/05/10 13:48
L2	667	TDMA and (time adj slot\$1) and user with bits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 13:49
L3	3	TDMA with (time adj slot\$1) with user with bits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 13:52
L4	0	TDMA with (time adj slot\$1) with (twice adj delay\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2007/05/10 13:54
L5	4	TDMA with (time adj slot\$1) and (twice adj delay\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 13:55
L6	709	TDMA with (time adj slot\$1) and (twice or two) same propagat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 13:56
L7	18	TDMA with (time adj slot\$1) with (twice or two) same propagat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 13:58
L8	0	TDMA with (time adj slot\$1) with (twice adj delay\$3) same propagat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 13:58
L9	0	TDMA with (time adj slot\$1) and (twice adj delay\$3) same propagat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 13:58
L10	0	TDMA and (time adj slot\$1) and (twice adj delay\$3) same propagat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 13:58

	r	· ·	<u>-</u>		1	1
L11	843	TDMA and (time adj slot\$1) same propagat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 13:59
L12	114	TDMA and (time adj slot\$1) same (propagat\$3 adj time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:00
L13	51	TDMA same(time adj slot\$1) same (propagat\$3 adj time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:04
L14	33	TDMA same(time adj slot\$1) same (propagat\$3 adj time) and interference	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:06
L15	. 7	TDMA same(time adj slot\$1) same (propagat\$3 adj time) same interference	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:08
L16	79	TDMA same(time adj slot\$1) same (delay\$3) same interference	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:08
L17	9	TDMA same(time adj slot\$1) same (delay\$3) same ((minimize or reduc\$3 or less or avoid\$3 or no) adj interference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 15:33
L18	0	TDMA same(time adj slot\$1) same (twice or (two adj times)) same ((minimize or reduc\$3 or less or avoid\$3 or no) adj interference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ,	OFF	2007/05/10 14:16
L19	0	TDMA same(time adj slot\$1) same (twice) same ((minimize or reduc\$3 or less or avoid\$3 or no) adj interference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:17
L20	4	TDMA same (twice) same ((minimize or reduc\$3 or less or avoid\$3 or no) adj interference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:19

L21	953	TDMA same guard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:19
L22	396	TDMA same guard same (time adj slots)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:19
L23	136	TDMA same (guard adj time) same (time adj slots)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:24
L24	0	TDMA same (guard adj time) same (time adj slots) same twice	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:24
L25	1	TDMA same (twice adj propagat\$3 adj delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2007/05/10 14:25
L26	0	TDMA with (twice adj propagat\$3 adj delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:25
L27	55	TDMA and (twice adj propagat\$3 adj delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:26
L28	134	TDMA same(time adj interval) same transmit\$3 same receiv\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 15:34
L29	· 2	TDMA same(time adj interval) same transmit\$3 same receiv\$3 same ((one or single) adj user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 15:35
L31	5431	TDMA same (time adj slots)	US-PGPUB; USPAT	OR	OFF	2007/05/10 15:38
L32	3490	TDMA same (time adj slots)	USPAT	OR	OFF	2007/05/10 15:39
L33	436	TDMA same (time adj slots) with user	USPAT	OR	OFF	2007/05/10 15:39

·						
L34	. 766	TDMA same (time adj slots) same user	USPAT	OR	OFF	2007/05/10 15:40
L35	202	TDMA same (time adj slots) same user same transmit\$3 same receiv\$5	USPAT	OR	OFF	2007/05/10 15:40
S1 .	2	"20050169389"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 13:39
S2	1	UWB and (time adj slot\$1) and (return adj pulse)and user\$1 and TDMA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 13:49
S3	1773	(time adj slot\$1) and (pulse)and user\$1 and TDMA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 13:45
S4	3	(time adj slot\$1) and (return adj pulse)and user\$1 and TDMA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 13:47
S5	1	(time adj slot\$1) and (return adj pulse)and user\$1 and TDMA and (impulse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 13:48
S6		(time adj slot\$1) and (return adj pulse)and user\$1 and TDMA and (impulse or (carrier adj free))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 13:48
S7	114756	UWB or impulse or (carrier adj free)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 13:49
S8	3315	(UWB or impulse or (carrier adj free)) and TDMA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 14:26
S9	1822	(UWB or impulse or (carrier adj free)) and TDMA and users	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 13:50

			•			
S10	159	(UWB or impulse or (carrier adj free)) and TDMA and users and (return adj signal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 14:06
S11	12	"5710762"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 14:22
S12	2	"20030189975"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 14:22
S13	276	(UWB or impulse or (carrier adj free)) with TDMA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 14:26
S14		(UWB or impulse or (carrier adj free)) with TDMA with (return adj (pulse or signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 14:27
S15	0	(UWB or impulse or (carrier adj free)) with TDMA with (return adj (pulse))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 14:27
S16	21	(UWB or impulse or (carrier adj free)) with TDMA and(return adj (pulse or signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 14:27
S17	21	(UWB or impulse or (carrier adj free)) with TDMA and (return adj (pulse or signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/04/27 14:30
S18	11	TDMA with (return adj (pulse or signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 14:33
S19	19	"5293380" and slots	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 14:33

S20	40	"5293380" and time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 15:23
S21	18	"5293380" and propagation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 15:23
S22	751	TDMA and (propagation adj time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 15:24
S23	14	TDMA and (twice adj propagation adj time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 15:31
S24	11	"4498169" and (time adj slot\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 15:32
S25	3	"4498169" and (time adj intervals)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 16:01
S30	844	(time adj (slot\$1 or interval\$1)) and TDMA and (single adj user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 11:37
S31	5	"20030161411"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/01 11:28
S32	2.	"20010004381"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/01 14:25
S33	0	"20040021517" and quasi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/01 14:27

S34	22	"4498169"	USPAT	OR	OFF	2007/05/10 09:23
S35	6911	TDMA and users and (time adj (interval or slot\$)) and transmit\$4 and receiv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 09:27
S36		TDMA and users and (time adj (interval)) and transmit\$4 and receiv\$4 and (retrurn adj pulse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/05/10 09:27
S37	1788	TDMA and users and (time adj (interval or slot\$)) and transmit\$4 and receiv\$4 and pulse\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 09:29
S38	782	TDMA and users and (time adj (interval or slot\$)) and transmit\$4 and receiv\$4 and pulse\$1 and return	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 09:29
\$39	20	TDMA and users and (time adj (interval or slot\$)) and transmit\$4 and receiv\$4 and pulse\$1 and (return adj pulse\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 09:54
S40	7	TDMA and (multiple adj users) and (time adj (interval or slot\$)) and transmit\$4 and receiv\$4 and pulse\$1 and (return adj pulse\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 09:56
S41	7	TDMA and (multiple adj users) and (time adj (interval or slot\$)) and (return adj pulse\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 09:57
S42	1	TDMA and (subinterval\$1) and (return adj pulse\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 09:57
S43	44	TDMA and (subinterval\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/05/10 10:03

S44	24	TDMA and (subinterval\$1) and users	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:20
S45	1	TDMA and (subinterval\$1) and (share\$1 adj users)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:23
S46	1	TDMA and (one adj subinterval\$1) and (multiple adj users)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/05/10 11:06
S47	4	"5930246"	US-PGPUB; USPAT	OR	OFF	2007/05/10 13:42